Ricoh 3035/3045 Series B/W Multifunctional Systems High-Performance Functionality

RICOH



Ricoh 3035/3045 Series

MFP for the Value-driven Office

You need efficient, reliable office systems that put busy workgroups in control of an ever-increasing volume of documents—correspondence, Financial reports, contracts and presentations.

Offering exceptional performance to meet these demands, the versatile Ricoh 3035/3045 digital systems support advanced network printing, scanning and faxing in one compact platform. And our industry-leading security technology protects your vital business information at every stage.



FastFlexibleUnmatchedIntuitive

Capture, Store and Distribute

For fast convenient communication with colleagues, clients and customers, scan your documents to your desktop, network folder, e-mail or URL. For network-based information sharing and distribution, the TWAIN compliant Ricoh 3035/3045 Series is ahead of the curve.

- Scan-to-Email—Easily search and send electronic documents for timely and accurate delivery with LDAP.
- Scan-to-Folder—Ideal way to archive and share large files with multiple clients.
- Support for common file formats (PDF, TIFF and JPEG) provides compatibility between varied operating systems and application software.

Network Printing MFP for

the Value-driven Office The 466 MHz processor and 384 MB memory accelerate print performance, producing general-office documents with ease.

- For out-of-box network connectivity and fast data-transfer rates, the 3035/3045 Series is equipped with 10/100BaseTX Ethernet and USB 2.0 interfaces.
- You're in complete control of print output with Ricoh's innovative RPCS (Refined Printing Command Stream), PCL5e/6 and optional Adobe PostScript 3 page description languages.
- Full compatibility with today's common platforms—Windows, Macintosh, A/S400, Linux and UNIX—ensures seamless integration in virtually any environment.
- PDF Direct Print lets you send PDF files directly to a printer without even opening the application, reducing network traffic and raising productivity. Ideal for printing scanned PDFs.


Manage Documents with Confidence

Leverage the power of the Ricoh 3035/3045 Series as a Document Server virtual document library for archival and print on-demand applications. Retrieved documents can be reprinted, refaxed, rescanned or downloaded to your computer for editing.

Rein In Expenses and Speed Communications with Innovative Fax Technology

With a wide range of advanced fax communication features available, the Ricoh 3035/3045 Series offers busy workgroups walk-up and desktop faxing convenience and economy.

- Quickly deliver e-mail or hardcopy via Internet Fax and IP Fax, functions that decrease operating costs by eliminating long-distance charges.
- Efficiently send electronic documents to a remote fax machine via LAN Fax, conveniently from your PC.
- The 3035/3045 Series provides traditional walk-up faxing via the high-speed 33.6 Kbps modem with standard JBIG compression. For maximum send/receive throughput, add up to two additional fax lines.
- Forward faxes directly to e-mail, hard disk or folder, ensuring that documents are properly routed.



RPCS is an easy-to-use, icon-based print driver that enables you to apply and save special settings, including duplexing and finishing, for one-click job processing.



Scan-to-URL improves information sharing in your organization, while minimizing network traffic.



Files can be password-protected and held in memory until released by the owner for increased security, or stored in virtual mailboxes for delayed printing or for print-on-demand applications.

FaxPrintScanNetworkE-mail

Install, Manage and Monitor with Ease

Ricoh's comprehensive suite of utilities smooths daily system monitoring and simplifies installation, configuration and troubleshooting.

- Web Image Monitor enables you to set output parameters, check the status of toner and paper, and even reset the system from your desktop—all from your Web browser.
- On-demand Status E-mail Notification enables IT to remotely query the device for important system reports.
- With Auto E-mail Notification, the Ricoh 3035/3045 Series sends a report to a designated e-mail address if, for instance, paper is low or out, to maximize uptime.

Safeguard Network and Information Assets

The Ricoh 3035/3045 Series advanced security solutions are designed to help safeguard your network and the information it carries at all stages—input, management and output.

- Use Windows/LDAP Authentication with your existing network login infrastructure to ensure that only those with a valid user name and password can access system functions.
- Deter photocopying of confidential documents with Unauthorized Copy Control, a requirement for any office responsible for creating and distributing restricted information.
- Protect temporary data stored on the hard drive with Ricoh's DataOverwriteSecurity System. Latent copy, print, scan, fax or Document Server file data is overwritten, making any effort to access and reconstruct residual data virtually impossible.
- With Ricoh's Removable Hard Drive, the 3035/3045 Series' hard drive can be removed and stored in a secure location.

Anytime, Anywhere Document Retrieval



DocumentMall allows employees to securely store, edit, share and retrieve documents and files from their PCs via the Internet, and securely scan hardcopy documents directly from Ricoh 3035 and 3045 MFPs. This powerful document management application is accessible 24/7 and provides businesses with a managed and hosted off-site environ-ment that allows knowledge workers in remote locations to collaborate realtime on projects in a secure environment. Advanced search and indexing software and unlimited scalability permits businesses of any size to use DocumentMall as a versatile resource.

Open Architecture

Embedded Software Architecture

Ricoh's Embedded Software Architecture—an innovative Java (J2ME)-compatible software development platform—allows third-party development of key applications that run on the Ricoh 3035/3045 series, dramatically enhancing your organization's workflow. The 3035/3045 Series can easily be customized to meet your needs by controlling features such as the operation panel, printing, saving files and scanning.

Your Partner in Environmental Solutions

Au man


Aficio

The Energy Star[®] compliant 3035/3045 Series continues Ricoh's longstanding commitment to developing office solutions with superior energy and supply-saving features, including:

- Quick Start-Up (QSU) Technology
- Power-saving Sleep Modes
- Duplex and Combine Copy Modes
- Toner Recycling
- Low Noise Levels
- Minimal Ozone Emissions
- Restriction of Hazardous Substances (RoHS)

Advanced Systems, that Deliver

Productivity soars with rapid 35/45 ppm and fast first-copy speeds as the Ricoh 3035/3045 Series effortlessly outputs your most complex jobs.



2 x 500-sheet Paper Bank Increases paper capacity to 2,050 sheets for minimal workflow interruption. (option)

Select the Configuration based on the requirements of your office



Ricoh 3035/3045 Series **Specifications**

Engine/Copier Specifications

Configuration Scanning Element

Printing Process Toner System Memory (std./max.) Hard Disk Drive **Document Feeder Copy Resolution** Grayscale Exposure Adjustment Quantity Indicator **Original Type** Maximum Original Size Copy Size Сору Туре Warm-Up Time

First Copy Speed

Continuous Copying Speed **Recovery Time** (from Auto Off) Power Source Dimensions Weight Standard Paper Capacity **Optional Paper Capacity** Paper Size Paper Weight

Reduction Ratios Enlargement Ratios

Zoom **Standard Features** Console Flatbed with Moving CCD Array Image Sensor Twin Laser Beam Scanning & Electrophotographic printing Dry Dual Component 128/384 MB RAM 40 GB standard Standard 80-sheet ARDF 600 x 600 dpi 256 levels Manual & Automatic Up to 999 Book/Sheet Up to 11" x 17" 5.5" x 8.5" to 11" x 17" Plain Paper, Transparencies 3035: 15 seconds 3045: 20 seconds 3035: 4.3 seconds 3045: 3.6 seconds 3035: 35 copies/minute (LTR) 3045: 45 copies/minute (LTR) 3035: 10 seconds 3045: 15 seconds 120V/60Hz/15A 26.5"(W) x 34"(H) x 26"(D) 214 lbs. 500 sheets x 2 trays 50-sheet Bypass tray 500 sheets x 2 trays 1,500-sheet Large Capacity Tray (LCT) 5.5" x 8.5" to 11" x 17" 20 to 28 lb. Bond/64 to 105g/m2 (Travs 1 & 2) 16 to 44 lb. Bond/52 to 163g/m2 (Bypass) 20 to 28 lb. Bond/64 to 105g/m2 (Duplex) 25%, 50%, 65%, 73%, 78%, 85%, 93% 121%, 129%, 155%, 200% 400% 25% to 400% in 1% increments Auto Magnification, Auto Paper Select, Auto Tray Switch, Background Numbering, Booklet/ Magazine Copy, Center/Border Erase, Combine Mode, Cover Insertion, Date Stamp, Directional Magnification, Document Server (3,000 file capacity), Electronic/ Rotate Sorting, 10 Job Programs, Negative/Positive, OHP Slip Sheet, Page Number Stamp, Paper Designate, Series Copy, Pre-Set and User Stamps, Touch Screen Control Panel, 100 User Codes (optional 500 max)

Scanner Specifications (Option)

Scanning Speed	Embedding Scanning
	52 ipm (@ 200 dpi)
Scanning Resolution	600 dpi
Grayscale	256 Levels
Scan Area	Up to 11" x 17"
Standard Interfaces	10BaseT/100BaseTX
Optional Interfaces	IP Over IEEE 1394,
	IEEE 802.11b Wireless LAN
Protocol	TCP/IP, SMTP, SMB, FTP, IPX,
	POP3, NCP
Memory Capacity	384 MB Shared
Standard Features	Embedded Scan-to-Email, HDD,
	Folder, URL
File Formats	Single Page TIFF, JPEG, PDF, Multi-
	Page TIFF, PDF

~ 10.11 Pri Prir

Compatibility

Resolution

Memory

Auto Dials

Paper Size

Paper Weight

Paper Capacity

Dimensions

Paper Weight

Dimensions

Paper Capacity

Group Dials

Printer Specificatio	ons (Option)
Print Speed	3035: 35 ppm
	3045: 45 ppm
CPU	RM7035C 466 MHz
Standard Interfaces	10BaseT/100BaseTX, USB 2.0
Optional Interfaces	IEEE 802.11b Wireless LAN
•	Bluetooth
	IEEE 1394
	IEEE 1284
Memory Capacity	384 MB Shared
Network Protocol	TCP/IP, IPX/SPX, AppleTalk
Network Operating	Windows 9x/NT4.0/2000/ME/XP/
Systems	Server 2003, Netware, UNIX; Sun
5	Solaris, HP-UX, SCO OpenServer,
	Red Hat Linux, IBM?AIX, Mac 8.6
	-9.2x, 10.1+, SAP R/3, NDPS
	Gateway, IBM iSeries/A/S400®
	using OS/400 Host Print Transform
Utilities	SmartDeviceMonitor,
	Web Image Monitor,
	WebSmartDeviceMonitor,
	DeskTopBinder V2 Lite
Page Description	PCL 5e/6 emulation
Languages	Ricoh RPCS
	Adobe PostScript 3 (optional)
Print Resolution	Up to 600 dpi
	(2400 x 600 dpi with smoothing)
Fonts for PCL 5e/6	35 Intellifonts, 10 TrueType Fonts,
	1 Bitmap, 13 International Fonts
Fonts for PS3	136 PostScript Fonts
Standard Features	Form Overlay, Watermarks, Spool
	Printing, Sample/Locked/Hold/
	Stored Print, Encryption

Fax Specifications (Option) Circuit

PSTN, PBX ITU-T G3 200 x 200/100 dpi 400 x 400 dpi (optional) **Compression Method** MH, MR, MMR, JBIG Scanning Speed 0.43 seconds (LEE) 33.6 Kbps with Auto Fallback Modem Speed Transmission Speed G3: 3 seconds per page (MMR Compression) G3: 2 seconds per page (JBIG Compression) 4 MB standard (320 pages) 28 MB maximum (2,240 pages) Memory Backup 1 hour 2.000 100 (max. 500 numbers per group) ID Code Programming 4 digits **User Function Kev** 3 keys Standard Features Auto Document (6), Book Transmission, Dual Access, Duplex Reception, Image Rotation **Optional Features** Simultaneous operation of up to 3 lines (G3 x 3); LAN-Fax Capability, Internet Faxing (T.37), IP?Faxing (T.38), Fax Forwarding to E-mail/HDD/Folder with Scan/Print Installed PS530 Paper Bank (Option)

5.5" x 8.5" to 11" x 17"/ A5 to A3 20 to 28 lb. Bond/60 to 105a/m2 2 x 500 sheets 21.3"(W) x 23.7"(D) x 10.7"(H)

RT45 Large Capacity Tray (Option) Paper Size

8.5" x 11"/A4 20 to 28 lb. Bond/60 to 105g/m2 1,500 sheets 15.4"(W) x 19.7"(D) x 15.4"(H)

One-bin Tray PT330 (Option) Paper Size

Paper Weight Paper Capacity 5.5" x 8.5" to 11" x 17"/ A5 to A3 16 to 28 lb. Bond/60 to 105g/m2 125 sheets

16 to 42 lb. Bond/60 to 157g/m2

50 sheets (8.5" x 11" or smaller) 30 sheets (8.5" x 14" or larger)

Proof Tray: 250 sheets (8.5" x 11" or smaller)

Shift Tray: 1,000 sheets

(8.5" x 11" or smaller)

(8.5" x 14" or larger)

SR790 Finisher 1000 (Option) Paper Size 5.5" x 8.5" to 11" x 17"/

Paper Weight Stack Capacity

Staple Capacity

Staple Position

Paper

Paper

Stack

Staple

Staple

Dimen

Dimensions

3 positions (1 staple/2 positions; 2 staples/1 position) 20.7 "(W) x 20.5 "(D) x 31.1 "(H)

SR880 Multi-tray Finisher (Option)

Size	5.5" x 8.5" to 11" x 17"/
	A6 to A3
Weight	14 to 43 lb. Bond/52 to 163g/m2
Capacity	Upper Tray: 500 sheets
	(8.5" x 11" or smaller)
	Lower Tray: 2,000 sheets
	(8.5 " x 11 " or smaller);
	750 sheets (8.5" x 14" or larger)
e Capacity	50 sheets (8.5" x 11" or smaller)
	30 sheets (8.5" x 14" or larger)
e Position	4 positions (1 staple/3 positions; 2
	staples/1 position)
nsions	26.8"(W) x 24.4"(D) x 40.6"(H)

A6 to A3

500 sheets

SR890 Booklet Finisher (Option)

Daman Cina	5.5" x 8.5" to 11" x 17"/
Paper Size	
	A5 to A3
Paper Weight	14 to 43 lb. Bond/52 to 163g/m2
Stack Capacity	Upper Tray: 150 sheets
	(8.5" x 11" or smaller);
	75 sheets (8.5" x 14" or larger
	Lower Tray: 1,000 sheets
	(8.5 " x 11 " or smaller);
	500 sheets (8.5" x 14" or larger)
Staple Capacity	50 sheets (8.5" x 11" or smaller)
,	30 sheets (8.5" x 14" or larger)
Booklet Tray	10 sets (11 to 15 sheets)
Capacity	15 sets (6 to 10 sheets) 25 sets
	(less than 5 sheets)
Booklet Staple	15 sheets
Capacity	
Booklet Staple	4 positions (1 staple/2 positions;
Position	2 staples/2 positions; plus saddle
10510011	stitch)
Dimensions	27.1"(W) x 24.5"(D) x 41.5"(H)

2/3 Hole Punch Kit (Option)

Paper Weight Application

14 to 43 lb. Bond/52 to 163a/m2 For SR880 Multi-tray Finisher only

Additional Options

Bridge Unit Type 2045, Scanner Accessibility Option Type 3045, Fax Type 3045, Handset Type 450, G3 Interface Type 3045, Removable Hard Drive, Additional Removable Hard Drive, Printer/Scanner Unit Type 3045, PostScript Type 3045, Key Counter Bracket Type H, DOSS Type D, File Format Converter Type B, Copy Data Security Unit Type A, FAC25 Cabinet, 32 MB Fax Memory User Account Enhancement Kit Type E, IEEE 1394 Interface Board Type B, IEEE 1284 Interface Board Type A, Bluetooth Interface Unit Type 3245, IEEE 802.11b Interface Unit Type H



Rich Corporation Five Dedrick Place, West Caldwell, NI 07006 Richol Texperistered trademark of NetoA Corporation. Macintosh*, Mac* OS and AppleTa registered trademarks of Apple Computer, Inc. Adobe* and PostScript* are registered trademarks of Adobe Systems, Inc. C2(IF) is a registered trademark of Hewlett-Packard Company, RPCS^{IM} is a Richol Company. Lud. All other trademarks are the property of their respective owners. Printed in U.S.A. on recycled pape. Print Speed may be affected by network, application or PC performance Specifications and external appearances are subject to change without notice. Products are shown with optional features. CA-0502 ation Macintosh® Mac® OS and AppleTalk® ar

